我们做的不仅是生产，
而是印刷人的健康

PrintBar®
印吧

健康让生活更美好



绿色印刷
源于辅料

PRINTING
MATERIAL

上海琛洁印刷材料有限公司
Shanghai chenjie printing materials co.,LTD

地址：上海市闵行区江凯路199号
199 jiangkai road,minhang district, Shanghai, China
全国服务热线：400-7753-668
电话（总机）：021-61311286　　传真：021-61311286
网址：Shprintbar.com
邮编：201114

扫描关注公众号

上海琛洁印刷有限公司
Shanghai chenjie printing materials co.,LTD

CONTENTS 目 录

关于公司
About Shanghai Chenjie

公司简介 Company Introduction 01

公司资质 Qualification 03

公司优势 Advantages 04

公司文化 Culture of the company 05

润版液系列
Fountain solution series:

全免酒精润版液 PrintBar Alcohol-free Fountain Solution 08

单张润版液 Ordinary sheet-fed fountain solution 10

高级润版液 Advanced sheet-fed fountain solution 11

商业轮转润版液 Thermosetting /Commercial rotary fountain solution 12

报业轮转润版液 Newspaper fountain solution 13

UV润版液 UV fountain solution 14

PS 润湿粉 Printbar PS Moisten Powder 15

快干润湿粉 Fast Drying Moisten Powder 16

清洁维护耗材
Cleanness -maintaining Chemicals:

水辊清洗剂 Dampening roller cleaner 18

除钙剂（墨辊护理香波） Roller care shampoo (calcium remover) 19

橡皮布还原剂 Blanket Rejuvenator and conditioner 20

水箱循环清洗剂 Water tank circulation cleaner 21

洗车水 Blanket and Roller wash 22

洗皮水 Blanket wash 23

UV洗车水 UV Blanket and Roller wash 24

UV洗皮水 UV Blanket wash 25

油墨添加剂 ink additive 26

起渍膏 Clean Paste 27

后炮膏 Cylinder paste 28

版材处理化学耗材
Plate developer chemicals:

CTP洁版液 CTP Plate cleaner 30

UV洁版液 UV Plate cleaner 31

保护胶 Plate gum 32

修版膏 Plate deletion paste 33

洁版膏 Plate Cleansing Paste 34

喷粉
Spray powder:

喷粉300目 Spray powder 300 36

喷粉500目 Spray powder 500 36

喷粉800目 Spray powder 800 36

Company Introduction 公司简介









上海琛洁印刷材料有限公司成立于2014年，是一家印刷材料技术研发和各种印刷材料销售的公司，总部位于上海闵行区。

公司成立之初为了填补在印刷领域的环保印刷，研发出来一款免酒精润版液——印吧，它很好的解决了传统印刷难以克服的节能、环保、安全等问题，为印刷企业提高效率、节约成本！现今，公司秉承“诚信、责任、发展、共赢的企业文化”。

Shanghai chenjie printing materials co., ltd. was founded in 2014，The company was founded in order to fill in the field of environmental printing，Developed a Alcohol-free fountain solution-PrintBar，it is a good solution to he traditional difficult to overcome the problem of energy saving ,environmental protection ,safety and soon. Improve efficiency for corporate printing,cost saving.Nowadays, the company adheres to "integrity, responsibility, development, win-win corporate culture"

Company Introduction 公司简介

2016年

全面推广市场，各地经销商十几家。

Comprehensive promotion of the market, More than 10 dealers across the country.

2015年

历经4年的困难与改进，产品在一线印企度过1周年的使用时间，期间并没出现前几年出现的问题，比较稳定，直到2015年8月下旬在经过一年的高温期，产品在一线稳定，开始着手上市场。

After 4 years of difficulties and improvements, Get the product on the front line and get him through the 1- year cycle, The period did not appear that before a few years appeared the problem, relatively stable, Until late August 2015, after a year of high temperature period, the product was in the first line of stability and began to market.

2014年

修改配方出来的免酒精润版液GK- 014，国产机器和日本机器添加量3%，德国机器稍微添加量到达 4%都实现了无醇，历经一个暑假在浙江厂家一带试用都实现了正常无醇印刷；

Modified formula developed alcohol-free fountain solution GK-014, Domestic machines and Japanese machines dosage 3%, German machines dosage 4% All of them are achieved alcohol-free printing. After a summer holiday in zhejiang manufacturers all normal printing.

2013年

修改配方出来免酒精润版液GK-013，弥补了对水辊伤害到的影响，并且国产机器和日本小森 可实现无醇，但是德国机器海德堡，罗兰等机 器实现不了无醇印刷，并且暑假炎热天气针对气温 高出现油墨乳化现象；

Modified formula developed alcohol-free fountain solution GK-013,To make up for the impact of water roll injury, and domestic machinery and Japan komori can achieve alcohol-free printing, But the German machine Heidelberg, Roland and other machines can not achieve alcohol-free printing, And summer hot weather for high temperature appearink emulsion phenomenon.

2012年

研发出来免酒精润版液GK-012，部分印刷机器型号能实现无酒精印刷，但是对水辊伤害比较大；

Developed alcohol-free fountain solution GK-012, some printing machine models can achieve alcohol-free printing, but the water roll injury is relatively large。

2011年

研发出来的免酒精润版液GK-001，只是实现减酒精；

Research and development of alcohol-free fountain solution GK- 001，Just achieve reduce alcohol .

2010年


公司组建研发团队，开始着手；

The company set up a research and development team and started.

Qualification 公司资质



VOC



MSDS



SGS



商标证书



协会单位



诚信企业



绿色印品供应商

Advantages 公司优势





历程悠久 LONG HISTORY

10多年制造历史，中国代理商40多家。

More than 10 years of manufacturing history, China agent 40 more



产品稳定 PRODUCT STABILITY

适应各种机器，兼容各地区水质，使用方便，对设备无伤害。

Hdapt to all kinds of machines, compatible with the water quality of various areas, easy to use, no harm to the equipment



市场趋势 MARKET TREND


降低成本，身体健康，顺应市场环保绿色印刷需求。

Reduce cost, keep healthy and meet the market demand for green printing

品牌保护 BRAND PROTECTION

多渠道宣传，代理商区域政策保护严格，严查市场仿冒伪劣产品。

Multi-channel publicity, agents of strict regional policy protection, strictly inspect the market for counterfeit and shoddy products



Culture of the Company 公司文化

愿景：

国内外行业领先的免酒精润版液品牌公司

使命：

在追求全体员工物质和精神幸福的同时，帮助印刷客户更好地做生意。

VISION

Domestic and foreign industry leading alcohol-free fountain solution brand company

MISSION

In the pursuit of all staff material and spiritual happiness at the same time, help printing customers better business.

核心价值观

良心为本是琛洁的核心价值观。

“依据良心，何为正确”，是琛洁处理一切经营问题的判断基准。

核心价值观分解核心价值观分解为：感恩；利他；惜福；琛洁人、一家人；人人都是经营者；玻璃般透明的经营。

CORE VALUE

Conscience is the core value of Chenjie

"According to conscience, what is right",This is Chenjie to deal with all management issues of judgment benchmark.

Core values are decomposed into: Gratitude; Altruism; Honesty; Chenjie people, a family; Everyone is an operator; Business as transparent as glass.

OFFICE SPACE 办公场地	WAREHOUSE 仓库	PRODUCTION 生产	LABORATORY 实验室	EXHIBITION 展会活动
				
				



润版液系列

Fountain Solution Series

SAFETY ENVIRONMENT HEALTHY ECONOMICAL

PrintBar Alcohol-free Fountain Solution



Technical Indicators:
1.There is no need to add IPA or other additives during use
2.Product neutral
A.High fidelity fountain solution: In the printing process can make the original copy more authentic
B.VOC free fountain solution: fountain solution does not contain VOC (according to German DIN 55649-2000 standard)
C.Completely free alcohol fountain solution: the use of the process does not need to add alcohol, rather than the Reduce alcohol fountain solution on the market
3.Suitable for all kinds of offset printing machines
4.No damage to dampening roller and printing parts, roller will gradually become soft, service life is significantly extended, maintenance cost is reduced.

Features:
A：Performance
1.Suitable for all imported and domestic flat offset press, any PS printing plate and CTP printing plate.
Regardless of the old and new, the real realization of free alcohol (zero alcohol) printing.
2.There is no need to special adjust the temperature of the printing equipment and water tank, which can be used on the machine, and the same use conditions as with alcohol printing, can completely achieve the condition of alcohol printing.
Compared with alcohol printing,water- ink balance is easier to achieve, easy to operate, more realistic color.
3.In the high temperature environment, printing plate water film thickness and continuity, smooth printing, no need to add alcohol.
4.Super cushioning system.Ensure PH is stable between 4.8 and 5.6, suitable for hard and soft water
5.The surface tension of the working liquid is 32-38dye/cm,Small amount of ink can realize printing dot clear, color realistic, large ink position can stabilize printing.
6.Contains water-retaining element, after stopping the machine and starts again without dirty, reducing waste. Anti - corrosion, anti - calcium, non - toxic, non - foam, non - blocking pipe.
7.Start quickly and stable water-ink balance, effectively prevent "dry" and other problems
B: Eco-Friendly
1.Compliance with environmental protection HJ2503-2011 standard, through the SGS standard certification.
2.Non-toxic, tasteless, can improve the air quality of the workshop.
C: Innovation
1.No need to add alcohol, reduce water,reduce ink, can reduce production costs.
2.Can significantly improve printing quality, printing ink saturation, dot clear bright.
3.Ink drying fast, improve production efficiency.
D: Safety
1.Prevent combustion and eliminate fire hazards.
2.No harm to the equipment rollers.
E: Stabilization
1.Wide range of application, compatible with the local water quality.
2.Easy to use, stable fountain.

Parameter：
Origin: Shanghai
Color: colorless
Specification: net weight 20KG/ drum
Shelf life： 24 months
Storage: avoid direct sunlight and store in a cool place

USAGE:
Under normal condition of all data of the machine,There is no need to Purpose-adjust the machine. Mix 3%-4% of the original liquid with water then you can use it. Domestic machines and Japanese machines add about 3% ,German machines add about 4%, Tank temperature adjustable to 8 ℃ ~ 10 ℃, the PH value between 5.2 to 5.8, conductivity around 800 Ω ~ 1200 Ω ,There is no need to lower the temperature of the tank.Conditions of use are the same as when printing with alcohol. Wash water tank frequently during use, keep water tank clean,It is best to install a sink recycling filter cotton ,Preventing ink and paper scraps from entering after printing and it will change the electrical conductivity of the water tank,Start up can print smoothly,The value is adjusted according to the actual operation: Proper adjustment of dampening roller clearance and speed.

安 全 环 保 健 康 节 约

全免酒精润版液





技术指标

1、使用过程中不需要添加IPA或其他添加剂
2、产品中性
A、高保真润版液：在印刷过程中能使原版更加真实的复制出来
B、无VOC润版液：润版液不含VOC（参照德国DIN 55649-2000标准）成分
C、全免酒精润版液：使用过程中完全不需要添加酒精，而非市面上的减免酒精润版液
3、适用各种胶印机器型号
4、不伤害水辊以及印刷部件，胶辊会逐渐变软，使用寿命显著延长，养护成本降低。
5、符合环保部对玩具，食品，包装，中小学教材教辅的 平版绿色印刷 HJ2503-2011标准。对墨辊水辊无不良影响。

特征

一、性能:
1、适用于所有 进口及国产平张 胶印机，任何PS印版和CTP印版。不分新旧，真正实现全免酒精（零酒精）印刷。
2、不需要特别调整 印刷设备及水箱温度，上机即用， 使用条件和有酒精印刷一样，可以完全达到有酒精 印刷时的状态。相比有酒精印刷时，更易达到水墨平衡，操作简单方便，色彩更逼真。
3、在外界 高温环境下，印版上水膜厚度及连续性，顺利印刷，不需添加酒精。
4、超强缓冲体系。确保PH值稳定在4.8-5.6之间，适用于软硬水质。
5、工作液表面张力为32-38dye/cm，较小墨量即可实现印刷网点清晰，色彩逼真，大墨位大能稳定印刷。
6、含有保水素，停机后再次开机不带脏，减少浪费。防腐、防钙、无毒、无泡沫、不堵塞管道。
7、开机快速而稳定的水墨平衡，有效防止了 “水干”等问题。

二、环保:
1、符合环保HJ2503-2011标准，通过SGS标准认证。
2、无毒、无味，能改善车间的空气质量。

三、创新:
1、无需添加酒精，减水、减墨能降低生产成本。
2、能显著提高印品质量，印品墨色饱和，网点清晰亮丽。
3、油墨干燥速度快，提高生产效率。

四、安全:
1、阻燃，消除火灾隐患。
2、对设备胶辊无伤害。

五、稳定:
1、适用范围广，兼容各地区的水质。
2、使用方便，润版稳定。

参数

产地：上海
颜色：无色
包装：桶装
规格：净重20KG/桶
保质期24个月
储存：避阳光直射，置阴凉处

使用方法

在机器各项数据正常情况下，无需特意调整机器。将3%-4%原液与水混合即可使用，国产，日本机器3%左右比例，德国机器4%左右比例，水箱温度调至8℃~10℃，将PH值调至5.2-5.8之间，电导率800Ω~1200Ω左右即可，不用调低水箱温度，使用条件与有酒精印刷时一致。期间勤洗水箱，保持水箱干净。最好装上水槽回收过滤棉，防止印刷后油墨、纸屑进入则会水箱改变电导率，开机即可顺利印刷，数值根据实际操作情况而调节；适当调整水辊间隙及速度。

Ordinary sheet-fed fountain solution

A fountain additive designed for Sheet-fed offset press,suitable for hard and soft water.

Features:

· Suitable for sheet printing all PS plate and CTP plate.

· Keep the PH stable, stable plate,have buffer action.

· Used for alcohol dampening system, no precipitation,non-blocking pipe.

· Contains water retaining element, restart the machine after long downtime without dirty.

· Form a uniform water film,resist white graphic part printing ink,prevent plate dirty.

dosage: 3%　　Packing: 25kg/ drum



单张润版液

专为单张纸印刷而设计的润版添加剂，适合软硬水质

特征：

1、适用于胶印单张任何PS印版和CTP印版。

2、保持PH值稳定，润版稳定,具有缓冲作用。

3、用于酒精润湿系统，无沉淀，不堵塞管道。

4、含有保水素，长时间停机后再次开机不带脏。

5、印版空白部分形成均匀的水膜，以抵制可白图文上油墨，防止脏版。

包装规格：

浓度比例：3%　　包装：25L/桶

Advanced sheet-fed fountain solution

Apply to all kink of continuous fountain system(Alcolor,Koebau,MANRolandmatic) and traditional fountain system,low alcohol fountain solution

Features:

· Suitable for various water quality,ink roller surface is not easy to knot calcium

· Has a larger printing tolerance, can keep the stability of the printing effect

· With super hydrophilic effect, can prevent the dirty of non-image area

· Reduce the plate space water,make points clear, full plate printing with high coloring power

· Non-blocking pipe, enhance the ability to sense grease in image area, print quick drying.

dosage: 3%　　Packing: 20kg/ drum



高级润版液

适用于各类连续润版系统（Alcolor,Koebau,MANRolandmatic）以及传统的润版系统，快干型，也用于CTP和低酒精兼用的润版液

特征：

1、适合各水质，墨辊表面不易结钙。

2、具有较大的印刷宽容度，可保持稳定的印刷效果。

3、具有超强的亲水效果，可防止非图文部分的各种起脏。

4、不会堵塞水管，增强图文部分的感脂力，使印刷品干燥快。

5、可减少版面水量，使网点与图文线条更清晰，满版印刷时可再现高浓度着色力 。

包装规格：

浓度比例：3%　　包装：20L/桶

Thermosetting / Commercial rotary fountain solution

The fountain solution is maintain a good dampening apply to Commercial rotary high speed printing press

Features:

· At high speed printing can keep the fountain plate stability, Quickly start,strong buffer system.

· It can reduce or even no need to add alcohol,strong buffer,contain high efficiency preservative.

· Can inhibit the growth and propagation of algae, bacteria and fungi in the wetting water system.

· Has a larger printing tolerance, can keep the stability of the printing effect

· Small amount of water, fast cleaning plate, keep water glue clean, inhibit the tendency of emulsification Recommended dosage: 4-5% Packing: 25kg/ drum



商业轮转润版液

适用于商业轮转高速印刷机印刷保持良好润湿性的润版液添加剂

特征：

1、高速印刷时能保持供水系统润版稳定，快速启动，很强的缓冲体系。

2、可减少甚至不加酒精，强缓冲性，含高效防腐剂。

3、抑制润湿水系统中藻类、细菌、霉菌的生长繁殖。

4、具有较大的印刷宽容度，可保持稳定的印刷效果。

5、上水量小，洁版速度快，保持水胶清洁，抑制乳化倾向。

包装规格：

用量比例：4-5% 包装：25公斤/桶

Newspaper fountain solution

This product is applicable to brush,traditional,turbo and spray fountain solution,newspaper rotary press fountain solution additive.

Features:

· At high speed printing can keep the water supply system fountain plate stability, not dirty.

· Quickly start,strong buffer system.

· It can reduce or even no need to add alcohol,strong buffer,contain high efficiency preservative.

· Can inhibit the growth and propagation of algae, bacteria and fungi in the wetting water system.

· Small amount of water, fast cleaning plate, keep water glue clean, inhibit the tendency of emulsification Recommended dosage: 4-5% Packing: 25kg/ drum



报业轮转润版液

本品适用于毛刷的、传统的、涡轮的和喷雾润版装置报业轮转印刷润版液添加剂

特征：

1、高速印刷时能保持供水系统润版稳定，不起脏。

2、快速启动，很强的缓冲体系。

3、可减少甚至不加酒精，强缓冲性，含高效防腐剂。

4、抑制润湿水系统中藻类、细菌、霉菌的生长繁殖。

5、上水量小，洁版速度快，保持水胶清洁，抑制乳化倾向。

包装规格：

用量比例：4-5% 包装：25L/桶

UV fountain solution

The product contains active ingredients of fountain solution is especially suitable for UV printing

Features:

· Applicable to any brand of offset printing press,suitable for UV printing.

· It's completely free of formaldehyde, the plate has longer service life.

· The best ink-water balance,Reduce ink accumulation on blanket surface,reduce washing time.

· The stability of the ink-water balance,reduce ink emulsification ,ink surface moisture reduction,effectively control roll surface to produce calcium.

· Non-bubble,non-blocking pipe,can inhibit the growth of microorganisms,contains protect plate elements.

dosage: 4% Packing: 25kg/ drum



UV润版液

适用于任何品牌机型该产品含有特别适合UV印刷活性成分的润版液添加剂

特征：

1、适用于任何品牌胶印机，适用于UV印刷方式。

2、完全不含甲醛，版的使用寿命更长。

3、最佳水墨平衡，橡皮布表面堆墨减少，减少清洗次数。

4、稳定的水墨平衡，减少油墨的乳化油墨上水量少，有效控制胶辊钙面的产生。

5、不起泡，不堵塞管道，可抑制微生物生长内含护版成份，长时间停机也不用上护版胶。

包装规格：

用量浓度比例：4% 包装：25公斤/桶

PS Fountain Solution Powder / PS Moisten Powder

The product is a powder，Used to prepare offset printing dampening solution. Suitable for PS plates.This product adopts advanced formula，Instead of alcohols .Enhance the dampening solution ink resistance . It has be used in alcohol system as alcohol substitute

Features :

· Easy usage,stable performance,preservation and transportation.

· With small amount using on the plate.stabilited PH value,Good cleaning effect, not smudge.

· No chromium ion and other ingredients, safe and non-toxic, harmless to human body.

· soaking a little powder in a wet colth to wipe away dirt on the plate.

· There is no precipitation in the bucket

Method of use: dissolve 10 grams powder in 10 kg water, then it can be used for printing.

Packing: 500g/bag 20 bags/box



PS润湿粉

本品为粉末状，用于配制胶印润湿液，适用于各种版材
本品采用先进的配方，取代了醇类，增强了润湿液的抗油性能。并能代替醇类用于酒精润湿系统

特征：

1.方便，性能稳定/便于运输和保存。

2.版面用液量小，PH值相对稳定，清洗效果好，不起腻污。

3.不含铬离子等成份，安全无毒，对人体无害。

4.用湿布沾取少量“粉剂”即可擦净版面腻污。

5.水斗中无沉淀物质。

使用方法：

将十克溶解于10公斤清水中，即可用于印刷。

包装规格：

500g/包 20包/箱

Fast Drying fountain solution powder / Moisten Powder

The product is a powder，Used to prepare offset printing dampening solution. Suitable for various plates.This product adopts advanced formula，Instead of alcohols .Enhance the dampening solution ink resistance .
It has be used in alcohol system as alcohol substitute

Features :

· Quick drying: This product can make the ink surface dry quickly in the printing process. Prevent printing product from sticking image to each other.

· Plate clean :Use the wet cloth with a small amount of this product wipe printing plate surface Smudge, Then can be clean and will not damage the plate

· Concentration: This product can be diluted 1000 times, Dissolve the powder in clean water at a ratio of 1:1000, and add a small amount of plate cleaner.

Method of use: dissolve 10 grams powder in 10 kg water, then it can be used for printing.

Packing: 500g/bag　　20 bags/box



快干润湿粉

本品为粉末状，用于配制胶印润湿液，适用于各种版材
本品采用先进的配方，取代了醇类，增强了润湿液的抗油性能。并能代替醇类用于酒精润湿系统

特征：

快干：本产品在印刷过程中能促使油墨表面快速干燥，防止印件之间粘脏。

洁版：用湿布沾上少量本产品擦印版表面腻污，即可洁净且不会损伤印版。

浓缩：本产品可稀释1000倍，按1:1000的比例将粉溶解于清水中，加入少量洁版液即可使用。

使用方法：

将十克溶解于10公斤清水中，即可用于印刷。

包装规格：

包装：500g/包　　20包/箱



Dampening roller cleaner

It's a special cleaner for dampening roller of continuous feed water system,it has the effect of cleaning and hydrophilic, this product completely soluble in water.

Features:

· Efficient removal the dirt of rubber roller,formed strong hydrophilic water film, Dampening roller more easily to kept uniform thin water film.

· There is no effect on rubber quality.

· During the cleaning process through the most appropriate cleaning drying speed to improve the efficiency.

· Even in the state of moisture will not reduce the cleaning effect.

Method of use:

Dip with cotton cloth or sponge into the liquid, wipe off the roller dirt evenly. this liquid dry hind on the roller,can start to printing.

Packing: 1L/ bottle 15 bottles/box



水辊清洗剂

是连续给水系统的水辊专用清洗剂。具有清洗和亲水性的效果

特征：

1、本品完全和水相溶，高效去除胶辊的污垢,形成强力的亲水性水膜,使水辊更容易保持均匀的薄水膜。

2、对橡胶质不造成影响。

3、清洗作业中通过最合适的干燥速度来提高作业效率。

4、即使在含有水分的状态下也不降低清洗效果。

注意事项：

用棉布或海绵适量蘸取本液，均匀地擦去胶辊的污垢；本剂在胶辊上干燥后，即可开始印刷。

包装规格：

1公斤/瓶 15瓶/箱

Ink roller calcium remover

Calcium remover(photoflo,calcium wash water) for cleaning roller surface glazing and hardening (caused by calcium contamination),Restore the original surface characteristics of the roller and restore the surface of the copper roller.

Features:

· Remove the ink roller surface calcareous enamel.

· Help to make the rubber roller be the best condition.

· There is no harm to human body, low content of VOC.

· Quick response and restore the ink roller ink guide.

· Dose not affect the rubber roller, the chemicals react only with calcium.

Method of use:

1.On first use cleaner sufficient to remove the ink roller ink.

2.Right amount of the drops on the ink roller, the ink roller idler(1-5 minute)

3.Use oily cleaner or emulsifying cleaner for the last process cleaning.

4.Close the shovel ink knife then wash thoroughly with water.

Packing: 1L/ bottle 15 bottles/box



除钙剂（墨辊护理香波）

除钙剂（去渍液、洗钙水）用于清洁胶辊表面由于钙质污染造成的釉化与硬化，恢复胶辊原有的表面特性，恢复铜辊表面。

特征：

1、去除墨辊表面钙质釉质。

2、反应快速，恢复墨辊的导墨性,提高印刷品质及效率。

3、有助于使橡胶辊最佳状况。

4、对人体无伤害，V0C含量低。

5、不影响胶辊，化学物质仅与钙质互相作用。

使用方法以及注意事项：

1、先使用清洗剂充分去除墨辊上的油墨。

2、 在墨辊上适量滴下本剂，墨辊空转（1−5分钟）。

3、使用油性清洗剂或乳化型清洗剂进行最后工序的清洗。

4、 合上铲墨刀后必须用水充分清洗干净。

包装规格：

1公斤/瓶 15瓶/箱

Blanket Rejuvenator and conditioner

Blanket Rejuvenator for offset printing blanket (including air cushion blanket) in the printing process, the surface part of the depression of the pressure has a reducing effect

Features:

· Has instant recovery effect for the pressed concave of blanket.

· It can quickly remove the glass hardened surface and ink stains on the blanket.

· Restore the original elasticity of blanket,extend the service life of blanket,and non-combustibility.

Method of use: Pour over in dry cloth and wash blanket manually .

Packing:1L/bottle 12 bottle/case



橡皮布还原剂

橡皮布还原剂对胶印橡皮布（包括气垫橡皮布）在印刷过程中，表面部分被压的凹陷处起还原作用

特征：

1、对橡皮布被压凹面，能起瞬间复原作用。

2、能迅速消除橡皮布上的玻璃硬化面和墨迹污垢。

3、恢复橡皮布原有弹性，延长橡皮布使用寿命，具有不燃性。

注意事项：

不能直接接触皮肤，大量吸入挥发气体，如感觉不适立刻保持空气流通，严重需要就医。易挥发，使用完盖好盖子放置安全地方，小心洒落在机器表面会造成脱漆。

包装规格：

1公斤/瓶 12瓶/箱

Water tank circulation cleaner

Suitable for all types of rotary press and flat sheet press, automatically remove dirt from tank and pipeline system

Features:

· Remove dirt from tank and pipeline.

· prevent water tank pipe blocking, bailer overflow.

· It is harmless to metal parts and rubber parts.

Method of use:

After add this product to normal revolve 10 minutes,add the water revolve 10 minutes than drain the water.

Recommended dosage:

1:6 to 1:10 (depending on the pollution level of the water tank)

Packing: 5L/bottle 4 bottles/case



水箱循环清洗剂

适用所有类型的轮转印刷机和平张纸印刷机的水箱润版液系统，可以自动将水箱和管道系统内的污垢清除

特征：

1、清除水箱和管道污垢。

2、防止水箱管道堵塞、水斗溢水。

3、对金属件和橡胶件无损害。

使用方法：

加入本品正常运转10分钟后，再加入清水运转10分钟后并将清水排出。

推荐用量：

1:6至1:10（根据水箱污染程度而定）

包装规格：

5公斤/小桶 4桶/箱

Blanket and roller wash

suitable for all kinds of offset printing ink, thermosetting ink.

Features:

1. This product has strong cleaning ink function, non-toxic, odorless, non-flammable, safe to store.
2. No adverse effects and damage to the ink roller and PS plate
3. Concentrated ink cleaning agent cleaning printing machine compared with gasoline, cleaning time and cleaning effect are the same, the cost of consumption is lower than gasoline! And more secure!
4. Compliance with VOC detection

Method of use:

1.Before starting up, the car wash water spray on the ink bucket and rotating roll, after washing the ink roller to scrub ink duct and rotating roll.

2.Turn on the machine (to maximum speed) and spray an appropriate amount of Blanket and roller wash agent on the roller. Spray back and forth 2-3 times, 15-20 seconds between each spray (larger machine takes longer).After run for 1-2 minutes then tightening the ink scraping (pay special attention to this).

3.After tightening the ink scraping, and the ink scraping roller connection is good, about 1 minute ink on the roller is scraped clean, if the ink roller is not clean, should continue to add an appropriate amount of Blanket and roller wash in the ink roller is not clean, until clean.

Packing: 18L/ drum



洗车水

适用于各种胶印油墨，热固性油墨。

特征：

1、本产品具有很强的清洁油墨功能、无毒、无味、不易燃、存放安全。

2、对墨辊及PS版无任何不良影响及伤害。

3、浓缩型油墨清洗剂清洗印刷机与汽油相比，清洗时间和清洗效果相同，消耗成本比汽油低！且更安全！

4、通过VOC检测达标。

包装规格：

18升/桶

使用方法：

1、开机前，将洗车水喷洒于墨斗及转动辊上，洗完墨辊后再来擦洗墨斗和转动辊。

2、开启机器（至最高速）然后将适量的油墨清洗剂喷淋在墨辊上，来回喷淋2-3次，每次喷淋的间隔时间为15-20秒（大机器时间要长一点）。待运转1-2分钟后再上紧墨刮（这点要特别注意）。

3、上紧墨刮后，和墨刮用墨辊之间的连接良好、约1分钟墨辊上的油墨全被刮干净，若墨辊没干净，应继续在墨辊没干净的地方添加适量的油墨清洗剂，直至干净为止。

Blanket wash

Blanket wash is a new generation of environmentally friendly and efficient products designed for cleaning offset blankets and rollers

Features:

· This product is better than gasoline in cleaning blanket and water roller, it can quickly remove old and new ink stains on blanket and water roller.

· It can restore the elasticity of the blanket and protect the blanket from swelling. It can prolong the service life of the blanket. Improve the hydrophilic properties of the water roller and eliminate the breeding of microorganisms in the water roller.

· This product is odorless, non-toxic, volatile, and harmless to the human body.

Method of use:After soaking the sponge or cleaning cloth, wring it out (without water droplets), then pour the product on the sponge or cleaning cloth

Scrub the offset blanket until the ink on the blanket is scrubbed.

Packing: 18L/ drum



洗皮水

洗皮水专用于清洗胶印机橡皮布及水辊的新一代环保高效产品

特征：

1、本品清洗橡皮布及水辊的各方面都优于汽油，能快速去除橡皮布和水辊上新旧墨渍。

2. 对橡皮布的弹性有恢复作用，同时保护橡皮布不发生溶胀，能延长橡皮布使用寿命。提高水辊的亲水性能，消除水辊中微生物的滋生作用。

本产品无味、无毒、挥发速度快、对人体无害。

包装规格：

18升/桶

使用方法：

先将海绵或清洗布浸湿后再拧干（以没有水滴为准），然后将本品淋在海绵或清洗布上擦洗胶印机橡皮布，直至将橡皮布上的油墨擦洗干净。

UV Blanket and roller wash

Application: suitable for all kinds of offset printing UV ink.

Features:

1. This product has strong cleaning ink function, non-toxic, odorless, non-flammable, safe to store.
2. No adverse effects and damage to the ink roller and PS plate

Method of use:

1.Before starting up, the car wash water spray on the ink bucket and rotating roll, after washing the ink roller to scrub ink duct and rotating roll.

2.Turn on the machine (to maximum speed) and spray an appropriate amount of Blanket and roller wash agent on the roller. Spray back and forth 2-3 times, 15-20 seconds between each spray (larger machine takes longer).After run for 1-2 minutes then tightening the ink scraping (pay special attention to this).

3.After tightening the ink scraping, and the ink scraping roller connection is good, about 1 minute ink on the roller is scraped clean, if the ink roller is not clean, should continue to add an appropriate amount of Blanket and roller wash in the ink roller is not clean, until clean.

Packing: 20L/ drum



UV洗车水

适用于各种胶印UV油墨

特征：

1、本产品具有很强的清洁UV油墨功能、无毒、无味、不易燃、存放安全。

2、对墨辊及PS版无任何不良影响及伤害。

包装规格：

20升/桶

使用方法：

1、开机前，将洗车水喷洒于墨斗及转动辊上，将洗完墨辊后再来擦洗墨斗和转动辊。

2、开机机器（至最高速）然后将适量的油墨清洗剂喷淋在墨辊上，来回喷淋2-3次，每次喷淋的间隔时间为15-20秒（大机器时间要长一点）。待运转1-2分钟后再上紧墨刮（这点要特别注意）。

3、上紧墨刮后，和墨刮用墨辊之间的连接良好、约1分钟墨辊上的油墨全被刮干净，若墨辊没干净，应继续在墨辊没干净的地方添加适量的油墨清洗剂，直至干净为止。

Cleanness - maintaining Chemicals 清洁维护耗材

UV Blanket wash

UV Blanket wash is a new generation of environmentally friendly and efficient products designed for cleaning UV offset blankets and rollers

Features：

· This product is better than gasoline in cleaning UV blanket and water roller, it can quickly remove old and new ink stains on UV blanket and water roller.

· It can restore the elasticity of the UV blanket and protect the blanket from swelling. It can prolong the service life of the UV blanket. Improve the hydrophilic properties of the water roller and eliminate the breeding of microorganisms in the water roller.

· This product is odorless, non-toxic, volatile, and harmless to the human body.

Method of use:After soaking the sponge or cleaning cloth, wring it out (without water droplets), then pour the product on the sponge or cleaning cloth

Scrub the offset blanket until the ink on the UV blanket is scrubbed.

Packing: 18L/ drum



UV洗皮水

洗皮水专用于清洗胶印机橡皮布及水辊的新一代环保高效产品

特征：

1、本品清洗橡皮布及水辊的各方面都优于汽油，能快速去除橡皮布和水辊上新旧墨渍。

2、对uv橡皮布的弹性有恢复作用，同时保护橡皮布不发生溶胀，能延长橡皮布使用寿命。

3、提高水辊的亲水性能，消除水辊中微生物的滋生作用。

包装规格：

18升/桶

使用方法：

先将海绵或清洗布浸湿后再拧干（以没有水滴为准），然后将本品淋在海绵或清洗布上擦洗胶印机橡皮布，直至将橡皮布上的UV油墨擦洗干净。

Special ink additive

Features:

· It can eliminate the phenomenon such as the ink picks , filling in, skinning in the printing process.

· Protect the plate, anti - stick dirty,

· Make the printing product accurate lattice dot , gloss enhancement,

· Can reduce the use of ink.

Method of use: add 3%-5% additives in the ink, stir evenly

Packing: 500g/bag 30bags/box



油墨添加剂

特征：

1、能消除印刷过程中出现的拉纸毛、糊版、结皮等现象。

2、能保护版材起抗粘脏作用。

3、能使印品网点清晰光泽度增强。

4、能减少油墨的使用量。

包装规格：

500g/包 30包/箱

使用方法：

在油墨中加入3%-5%的添加剂，搅拌均匀即可。

Clean Paste

Clean Paste is a powerful cleanser that is simple to use，Specially used for deep cleaning rollers，To restore its elasticity without damaging itself。To remove ink stains，glaze，Restores the elasticity of the ink roller (and blanket)，Effectively remove deep colloid and ink stains。It is non-abrasive，No residue on metal or rubber surfaces，Colloidal shape, convenient and practical。

Features:

· To remove ink stains，glaze，Restores the elasticity of the ink roller (and blanket)。

· Effectively remove deep colloid and ink stains.No residue on metal surface

· Colloidal shape, convenient and practical.Deep cleaning can improve ink transfer performance.

· Reduced downtime, more economical.

· No benzene, no harm to human health, no inflammable, safe to use.

Method of use: For the ink roller：Wash off the wet ink first，Apply adequate amount of Clean Paste evenly on the ink roller，Run at a low speed for 5-10 minutes, then wash off with blanket and roller wash. Repeat steps if necessary.

For the blanket :Apply the Clean Paste to the blanket and absorb it by hand.Can be left overnight, and then thoroughly clean, please avoid contact with the printing plate.

Packing： 330g/piece



起渍膏

起渍是一种使用简单的强效清洁剂，专门用于深层次清洁墨辊，复其弹性而对其本身无损害；清除墨渍，镜面，恢复墨辊（以及橡皮布）的弹性；有效清除深层胶质和墨垢；具有非磨损性；无残留于金属或橡胶表面；胶体状，方便实用。

特征：

1、清除墨渍，镜面，恢复墨辊（橡皮布）的弹性。

2、有效清除深层胶质和墨垢；无残留于金属表面。

3、胶体方便实用。能深层清洁改善油墨传送性能。

4、减少停机时间，更经济。

5、不含苯，不损伤人体健康，不易燃，使用安全。

包装规格：

330g／支

使用方法：

对于墨辊：先洗掉湿墨，将适量的起渍膏均匀地涂在传动墨辊上，低速运转5-10分钟，然后用洗车水洗掉，有需要可重复步骤。

对于像皮布：手工将起渍膏涂于橡皮布上任其吸收，可放置一晚上，同然后彻底清洗于净即可，请避与印版接触。

Cylinder paste

It prevents ink piling , saves printing time, Avoid the destruction of image and doubling. Improved printing quality

Features:

· Anti-ink piling: Ink piling to cylinder and other metal parts, Or all other metal parts,thick layer of ink forms when printing,Cylinder paste is 10 times more effective than other sprays.

· Reduce waiting time:Paper can be stored for a short time or even without waiting, Long - term can reduce the frequency of cleaning cylinder.

· Reduce Paper Waste：Remove stains and scratches from prints, improve product quality。

· Non-toxic: does not contain toxic or overheated chemicals. Meets OSHA and ECC requirements.

Method of use: Squeeze a small amount of paste onto a cloth and apply vigorously to the area to be treated until all foreign matter is removed. Then wipe the treated area with a clean cloth until completely clean and smooth. After five minutes to print, Make sure the Cylinder paste coating is dry and set. Do not use other cleaning materials after applying the Cylinder paste.

Packing: 200g/ piece 5 pieces/box.



后炮膏

后炮膏是一膏状物料。把后炮膏薄薄地涂在后炮或所有金属部份，可以防止因大量印刷而令油墨堆积。

作用：

防堆积：油墨黏附在后炮和其金属部分，（间接炮、墨辊、胶辊），飞达机面、摺纸机器等等）。或所有其他金属部分，印刷时变形成厚厚的油墨层。后炮膏较别的喷雾物品有效10倍。

减少等候时间：只需短时间或甚至不需等候就可以后备纸张，长期可以减少清洗后炮的频密程度。

减少纸张浪费：除去印刷品上的污点和刮痕，提高产品质素。

无毒：不含有毒或过炽化学品，符合OSHA和ECC的要求。

使用方法：

挤出小量后炮膏在一块布上，大力擦在要处理的地方，直至除去所有异物。后用干净的布轻拭已处理的地方，直至完全清洁和出现光滑状。5分钟后才印刷，确保后炮膏保护层变干和凝固。涂上后炮膏后，请勿使用其他清洁物品。

包装规格：

200g/支 5支/盒



绿色印刷 PrintBar 印吧 源于辅料

Plate cleaner (CTP for both use)

In recent years for the obvious popularity of CTP plate fountain solution,also use for ordinary PS plate.

Features:

· Containing mixed solvent,ultrafine abrasive sand,strong decontamination(scratch,dirty,dirty stain and various oxide)

· Improve the non-image area doesn't sense grease,form good hydrophilic film.

· While removing the ink,improve the image area sense grease.

· Various plate(PS plate,CTP plate,aluminium plate,zinc plate,etc)can be use.

Method of use:

1.Shake well before use.

2.Dip with a wet sponge into it,gently wipe the plate and water washing plate again, after clean dirty can start to printing.

3.Be sure to cover cap tightly.

Packing: 1L/ bottle 15 bottles/box



CTP洁版液

是用于近年来明显普及的CTP版的洁版液，也可用于通常的PS版

特征：

1、对CTP版的图象部分不造成任何影响，不伤网点，快速去除脏污。

2、强烈活化印版亲水性，增强图文区的感脂力、提高图文清晰度、不含研磨剂。

3、含混合溶剂、超细磨砂粒强力去除CTP印版上氧化物和油墨残留等所有脏污、去除版面划痕。

使用方法：

1、使用前，要充分摇匀。

2、用沾水的海棉适量蘸取，轻轻地擦拭版面，再以水冲洗印版，除脏污垢开始印刷。

3、用毕后请务必盖紧瓶盖。

包装规格：

1公斤/瓶 15瓶/箱

UV plate cleaner

The product contains active ingredients of fountain solution is especially suitable for UV printing.

Features:

· Applicable to any brand of offset printing press,suitable for UV printing.

· It's completely free of formaldehyde, the plate has longer service life.

· The best ink-water balance,Reduce ink accumulation on plate surface,reduce washing time.

· The stability of the ink-water balance,reduce ink emulsification ,ink surface moisture reduction,effectively control roll surface to produce calcium.

Method of use:

1.shake well before use.

2.Dip with a wet sponge into it,gently wipe the plate and water washing plate again, after clean dirty than start to printing.

3.Be sure to cover cap tightly.

Packing: 1L/ bottle 15 bottles/box



UV洁版液

是用于近年来明显普及的UV版洁版液

特征：

1、对UV版的图象部分不造成任何影响，不伤网点，快速去除脏污。

2、强烈活化印版亲水性，增强图文区的感脂力、提高图文清晰度、不含研磨剂。

3、含混合溶剂、超细磨砂粒强力去除UV印版上氧化物和油墨残留等所有脏污、去除版面划痕。

使用方法：

1、使用前,要充分摇匀。

2、用沾水的海棉适量蘸取，轻轻地擦拭版面，再以水冲洗印版，除脏污垢开始印刷。

3、用毕后请务必盖紧瓶盖。

包装规格：

1公斤/瓶 15瓶/箱

Plate Gum (PS/CTP)

Suitable for traditional sheet-fed offset press,especially suitable for CTP printing.

Features:

· Dose not generate pinholes to affect the quality of the plate， not hurt blanket.

· Don't block printing line and water pump in system

· No corrosive substances, exceptional durability, protected by some in the best printing state.

· Good oxidation resistance and moisture proof

· Not corrosion deterioration

Method of use:

No need open plate machine, forming a uniform smooth protective film after coating,the printing plate touches the water roller to start printing

Packing: 1L/ bottle 15 bottles/box



保护胶

适用于传统单张胶印，特别适用于ctp印刷

特征：

1、不会生成针孔影响印版质量，不损及橡皮布。

2、不会堵塞印刷系统中的管路和水泵。

3、不含腐蚀性物质，超常耐久性，保护图文部分处于最佳印刷状态。

4、具有良好的抗氧化性和防湿性。

5、不会腐蚀变质。

使用方法：

无需开版机，涂布后形成均匀平滑的保护膜，印版触及水辊即可开始印刷。

包装规格：

1公斤/瓶 15瓶/箱

Plate Image Remover

This product is a light red paste with no pungent odor. It is specially used to correct the image part of thermal CTP plate.

1.The corrects time of this product is same as the import product, will not damage the hydrophilic oxidation film on the plate.

2.No damage on image in 1 to 2 seconds.

3.It has the advantages of strong dirt removal, small diffusivity and thorough removal.

4.This product does not contain xylene, cyclohexane and other harmful substances

Method of use :

Dip a small amount of the paste with a small brush and apply it to the area where it needs to be modified. Leave it for 5 seconds and gently wipe it with a damp cloth or sponge

Packing:

100g/bottle 120 bottles/box



修版膏

本品为淡红色膏体，无刺激性气味，专门修正热敏CTP版材的图文部分

特征：

1、本品修正时效与进口产品相同，不损坏版面的亲水氧化膜层。

2、在1-2秒内不损伤图文。

3、具有除脏力强、扩散性小、去除彻底等优点。

4、本品不含二甲苯，环已酮等有害物质。

使用方法：

用小毛刷蘸取少量膏体，涂抹于需要修改的地方，放置5秒后，用湿布或者海绵轻轻擦拭即可。

包装规格：

100g×120瓶/箱

PS Plate Cleaning Paste

This product can quickly remove the PS plate surface dirt and old ink residue.cleaning plate,no damage on image,Improve print quality。

Features：

PS Plate cleaning paste is acidic, strong removal the dirty ink of PS plate at the same time reproduce PS plate of the layout of the hydrophilic trichomes, Make the photosensitive layer pro Ink performance restore.Suitable for all kinds of PS Plate dirty removal and cleaning the whole plate ; Also applicable to the old plate of the second continuation printing setting up.

Method of use ：

Apply the plate cleansing paste directly to the area that needs cleaning and apply it with a cloth or sponge.

Can effectively remove the PS plate of the surface dirt and ink, do not damage image, also can be used as a pre-press plate setting up of cleaning agent.

When using the plate cleaning paste, apply the cleaning paste to the dirty parts with a soft sponge or cloth, wipe gently, and immediately wipe with a damp cloth.

Packing:

350g or 500g / bottle 24 bottles/box



洁版膏

洁版膏能够去除PS版表面的脏污和陈年的墨垢，不损伤图纹，提高印品的质量，性能稳定，安全无毒

特征：

PS版洁版膏呈酸性，在强力去除PS版上脏污墨迹的同时。能再造PS版版面的亲水毛细砂目，使感光层的亲墨性能返新还原。适用于各类PS版印刷起脏的去除和整个版面的清洁；还适用于旧版二次续印的开版。

使用方法：

洁版膏直接作用在需要清洁的地方，并用布或海绵擦拭即可。能有效除去PS版表面脏污墨垢，不损伤图纹，也可作印前开版清洁剂。

使用洁版膏时，用柔软的海绵或抹布，将洁版膏涂于版面起脏部位，轻轻擦沫，并立即用湿布轻擦干净。

包装规格：

350g/500g每盒 24盒/箱



绿色印刷 PrintBar 印吧 源于辅料

Spray powder / Anti set off powder

·It is made of plant material and using nanoscale technology elaborately crafted.
·Strong lipophilicity, particle uniformity ,fluidity, good dispersion and anti-viscous good.
·Suitable for color packing,film,plastic and rubber products anti-sticking dirty, also can effectively prevent static barrier.
Model Number Feature Usage
CJ-800 600-800 Water-proof Used in high quality color printing,rubber,and nylon
CJ-500 400-500 Water-proof Used in thick and thin paper
CJ-300 200-400 Water-proof General color printing (medium oil ink)
Packing: 1L/bag 20bags/box

spray powder 300

Using plant-based substances, carefully processed with nano-scale technology, strong lipophilicity, uniform particles, excellent fluidity, excellent dispersibility, and good anti-adhesiveness
Applicable to the anti-adhesion of colored packaging, film, plastic and rubber products, and it can effectively prevent static electricity



spray powder 500

Using plant-based substances, carefully processed with county-level technology, strong lipophilicity, uniform particles, excellent fluidity, good dispersion, and good anti-adhesiveness
Applicable to color printing, film, plastic and rubber products to prevent dirty, but also effectively prevent static electricity



spray powder 800

White fine particles, excellent fluidity, uniform particles, smooth surface, no abrasion equipment, good ink-binding assimilation, no effect on printing effect, excellent performance, safety and non-toxic.
Suitable for advanced lithographic printing machine printing film, thin paper, gold card, silver card, aluminum foil printing, complete powder fusion, anti-back printing, rubber products anti-adhesion dirty



喷粉

特征：

· 采用植物材料，采用纳米技术精心制作而成。

· 亲油性强，颗粒均匀性好，流动性好，分散性好，抗粘性好。

· 适用于彩色包装、薄膜、塑料及橡胶制品的防粘脏，也能有效防止静电屏障。

包装：

1公斤/包 20包/箱

喷粉 300

· 采用植物性物质，运用奈米级科技工艺精心加工而成的，亲油性强、颗粒均匀、流动性、散布性优良、防粘脏性好。

· 适用于彩色包装、软片、塑料及橡胶制品的防粘脏。还能有效防止静电障碍。



喷粉 500

· 采用植物性物质，运用精湛科技工艺精心加工而成的，亲油性强、颗粒均匀、流动性、散布性优良、防粘脏性好。

· 适用于彩色印刷、软片、塑料及橡胶制品的防粘脏，还能有效防止静电障碍。



喷粉 800

· 白色细微颗粒，优良的流动性，颗粒均匀，表面光滑，不磨损设备,加墨结合同化性好，不影响印刷效果，性能卓越，安全无毒。

· 适用于高级平版印刷机印刷复膜件、薄纸、金卡、银卡、铝箔印件，粉末融合彻底，防背印，橡胶制品防粘脏。

